

**IN THE CLAIMS:**

**Please amend the Claims so as to read as follows:**

1. (Original) An electron emission device comprising:
  - an electron emitter that includes a lower electrode, an upper electrode made of a thin film, and a semiconductor layer formed between the lower electrode and the upper electrode, a surface of the upper electrode exposed to an external space;
  - a counter electrode that is provided opposite the upper electrode across the external space;
  - a fine particle charging voltage control section that applies an electron emitting voltage for accelerating electrons in the semiconductor layer, passing the electrons through the upper electrode, and emitting the electrons to the external space, or a voltage for charging fine particles attached to the surface of the upper electrode between the upper electrode and the lower electrode; and
  - a flying voltage control section that applies, between the upper electrode and the counter electrode, a voltage for allowing the charged fine particles to fly from the surface of the upper electrode to the counter electrode, whereby providing the electron emission device with a cleaning function.
  
2. (Original) The electron emission device according to claim 1, wherein the semiconductor layer is a porous silicon semiconductor layer in which a part or all of polysilicon is made porous.

3. (Original) The electron emission device according to claim 1, wherein the counter electrode has a semiconductive layer or an insulating layer formed on its surface.
4. (Original) The electron emission device according to claim 1, wherein the flying voltage control section applies a pulsed voltage so that the counter electrode has a positive potential relative to the upper electrode.
5. (Original) The electron emission device according to claim 1, wherein  
the flying voltage control section operates a control to apply the voltage having a first voltage value to the external space between the upper electrode and the counter electrode, and  
after the fine particle charging voltage control section applies a predetermined voltage between the upper electrode and the lower electrode to charge the fine particles attached to the surface of the upper electrode, the flying voltage control section operates a control to apply the voltage having a second voltage value higher than the first voltage value, the second voltage value having such a magnitude that allows the charged fine particles to fly from the upper electrode to the counter electrode and that atmospheric discharge does not occur, and  
the fine particle charging voltage control section operates a control to either apply a voltage having an opposite polarity to a polarity of the electron emitting voltage or apply no voltage between the upper electrode and the lower electrode, thereby allowing the charged fine particles to fly from the surface of the upper electrode to the counter electrode.

6. (Original) The electron emission device according to claim 1, wherein  
the flying voltage control section is constructed to be capable of setting the  
polarity of the voltage applied between the upper electrode and the lower  
electrode to either positive or negative,  
the flying voltage control section operates a control to apply the voltage having  
the second value having such a magnitude that allows the charged fine  
particles to fly from the upper electrode to the counter electrode and that  
atmospheric discharge does not occur, and  
the fine particle charging voltage control section operates a control to either  
apply a voltage having an opposite polarity to a polarity of the electron  
emitting voltage or apply no voltage between the upper electrode and the  
lower electrode, thereby allowing the charged fine particles to fly from  
the surface the upper electrode to the counter electrode.
7. (Original) The electron emission device according to claim 1, wherein the flying voltage  
control section applies a voltage between the upper electrode and the counter  
electrode when the electrons are not emitted from the electron emitter so that the  
surface of the upper electrode of the electron emitter is negative.
8. (Original) The electron emission device according to any one of claims 1-7, for use in a laser  
printer or a digital copying machine.
9. (Currently Amended) The electron emission device according to ~~any one of claims 1-8~~ claim 1,  
wherein the fine particles include dust such as toner and paper particles.